

Version 6.0 Revision Date: 26.03.2019 SDS Number: 20321 Date of last issue: 19.12.2018
Date of first issue: 29.08.2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

SYMBICORT MIXTURE FOR TURBUHALER

Details of the supplier of the safety data sheet : ASTRAZENECA PTY LTD Emergency Telephone +44 (0) 1235 239 670
PO Box 131
66 Talavera Rd, North Ryde
NSW 2113
AUSTRALIA
+61 2 9978 3500

SafetyDataSheets.AlderleyPark@astrazeneca.com

Alternative Names

Budesonide/formoterol mixture with lactose
CAS No. : Not applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Treatment of asthma and COPD

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4
Skin sensitisation : Category 1
Reproductive toxicity : Category 2
Specific target organ toxicity - single exposure (Inhalation) : Category 2 (Heart)
Specific target organ toxicity - repeated exposure : Category 1 (Adrenal gland)
Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Heart)
Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.

Version 6.0 Revision Date: 26.03.2019 SDS Number: 20321 Date of last issue: 19.12.2018
 Date of first issue: 29.08.2017

H361 Suspected of damaging fertility or the unborn child.
 H371 May cause damage to organs (Heart) if inhaled.
 H372 Causes damage to organs (Adrenal gland) through prolonged or repeated exposure.
 H373 May cause damage to organs (Heart) through prolonged or repeated exposure if inhaled.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
 P264 Wash skin thoroughly after handling.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves.
 P281 Use personal protective equipment as required.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Can be absorbed through skin causing systemic toxic effects.
 May cause palpitation, trembling, headache and widening of the bronchii.
 May form explosible dust-air mixture if dispersed.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Budesonide	51333-22-3	9 -39
Formoterol fumarate dihydrate	43229-80-7	0.5 -1.1

SECTION 4. FIRST AID MEASURES

If inhaled : Remove patient from exposure, keep warm and at rest.
 Obtain medical attention.

In case of skin contact : Remove contaminated clothing.
 Wash skin with water.

SAFETY DATA SHEET



Version 6.0 Revision Date: 26.03.2019 SDS Number: 20321 Date of last issue: 19.12.2018
Date of first issue: 29.08.2017

- If symptoms (irritation or blistering) occur obtain medical attention.
- In case of eye contact : Irrigate with eyewash solution or clean water, holding the eyelids apart, for at least 10 minutes.
Obtain medical attention.
- If swallowed : Wash out mouth with water and give 200-300ml of water to drink.
Do NOT induce vomiting as a First-Aid measure.
Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : Refer to sections 2 and 11
Harmful if swallowed.
May cause an allergic skin reaction.
Suspected of damaging fertility or the unborn child.
May cause damage to organs if inhaled.
Causes damage to organs through prolonged or repeated exposure if inhaled.
- Notes to physician : Symptomatic treatment and supportive therapy as indicated.
For further detail consult the prescribing information.
-

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : water spray, foam, dry powder or CO₂.
- Unsuitable extinguishing media : Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
- Specific hazards during firefighting : Thermal decomposition will evolve toxic and corrosive vapours.
- Special protective equipment for firefighters : A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.
Prevent fire extinguishing water from contaminating surface water or the ground water system.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure suitable personal protection during removal of spillages.
Avoid dispersal of dust in the air.
See Section 8.
- Environmental precautions : Prevent entry into drains, sewers or watercourses.
Collect spillage.
- Methods and materials for containment and cleaning up : Moisten spillages with water.
Transfer to a container for disposal.
Wash the spillage area with water.
Avoid release to the environment.
- See section 13.
-

SECTION 7. HANDLING AND STORAGE

Version 6.0 Revision Date: 26.03.2019 SDS Number: 20321 Date of last issue: 19.12.2018
 Date of first issue: 29.08.2017

- Advice on safe handling : Do not breathe dust.
 Avoid contact with skin and eyes.
 Minimize dust generation and accumulation.
 The material may form explosible dust-air mixture if dispersed.
 Dust clouds may be extremely sensitive to ignition by electrostatic discharge and other ignition sources. Ensure good earthing of equipment and personnel.
- Conditions for safe storage : Keep container tightly closed.
- Recommended storage temperature : < 30 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Budesonide	51333-22-3	TWA	0.01 mg/m ³	COM; HYG; Sk
Formoterol fumarate dihydrate	43229-80-7	TWA	0.0002 mg/m ³	COM; HYG

- Engineering measures** : The specific controls will depend on local circumstances and should be based on the risk assessment. Appropriate controls to reduce exposure may include engineering controls, for example ventilation, procedural controls and the use of personal protection equipment.

Prevent entry into drains.
 See Section 6 for environmental precautions.

Personal protective equipment

- Respiratory protection : Use an air fed hood if the risk assessment does not support the selection of other protection.
- Eye protection : Use safety glasses to protect against direct contact with the product if the risk assessment does not support the selection of other protection.
- Skin and body protection : Use impervious clothing to protect against direct contact with the product if the risk assessment does not support the selection of other protection. Use impervious protective gloves to protect against direct contact with the product. If the product is dissolved or wetted use a glove material that is resistant to the solvent/liquid.
- Protective measures : Decisions about whether the use of personal protective equipment (PPE) is appropriate as part of the control strategy should be based on the workplace risk assessment and should take account of local legislative requirements for selection and use. There are multiple factors that will affect the specific requirements such as amount and concentration

Version	Revision Date:	SDS Number:	Date of last issue: 19.12.2018
6.0	26.03.2019	20321	Date of first issue: 29.08.2017

of the material, duration of exposure, frequency of exposure, external environmental conditions, the task, the user etc. All the information above should not be used in isolation and should be considered in the context of the workplace risk assessment on a case by case basis.

The recommended personal protective equipment (PPE) is based on preventing the potential adverse health effects from exposure to the active pharmaceutical ingredient (API). The risk of exposure to the API in the formulation/product needs to be taken into consideration.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white to almost white
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/range	:	No data available
Initial boiling point and boiling range	:	Not applicable
Flash point	:	No data available
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available

Version 6.0 Revision Date: 26.03.2019 SDS Number: 20321 Date of last issue: 19.12.2018
Date of first issue: 29.08.2017

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity
 Viscosity, dynamic : Not applicable
 Viscosity, kinematic : Not applicable
Explosive properties : No data available
Oxidizing properties : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No known reactivity hazard under normal conditions.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : None known.
Conditions to avoid : No conditions producing hazardous situations known.
Incompatible materials : None known.
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,026 mg/kg
Method: Calculation method
Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

Budesonide:

Acute oral toxicity : LD50 Oral (Rat): 400 mg/kg
Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity : Remarks: May cause effects as described under single exposure.(STOT)
Acute dermal toxicity : Remarks: Can be absorbed through skin causing systemic toxic effects.

SAFETY DATA SHEET



Version 6.0 Revision Date: 26.03.2019 SDS Number: 20321 Date of last issue: 19.12.2018
Date of first issue: 29.08.2017

Formoterol fumarate dihydrate:

Acute oral toxicity : Remarks: May cause effects as described under single exposure.(STOT)

Acute inhalation toxicity : LC50 (Rat): 1.35 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : Remarks: No information available.

11.2 Skin corrosion/irritation

Not classified based on available information.

Components:

Budesonide:

Remarks : May cause slight skin irritation.

Formoterol fumarate dihydrate:

Remarks : No information available.

11.3 Serious eye damage/eye irritation

Not classified based on available information.

Components:

Budesonide:

Remarks : May cause slight eye irritation.
May cause corneal ulcers and reduced visual function.
May cause cataracts and viral infection.

Formoterol fumarate dihydrate:

Remarks : No information available.

11.4 Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Budesonide:

Result : May cause sensitisation by skin contact.

Formoterol fumarate dihydrate:

Remarks : No information available.

Chronic toxicity

11.5 Germ cell mutagenicity

Not classified based on available information.

Version	Revision Date:	SDS Number:	Date of last issue: 19.12.2018
6.0	26.03.2019	20321	Date of first issue: 29.08.2017

Components:**Budesonide:**

Germ cell mutagenicity - Assessment : There is no evidence of genotoxic potential in in vitro and in vivo tests.

Formoterol fumarate dihydrate:

Germ cell mutagenicity - Assessment : There is no evidence of genotoxic potential in in vitro and in vivo tests.

11.6 Carcinogenicity

Not classified based on available information.

Components:**Budesonide:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Formoterol fumarate dihydrate:

Carcinogenicity - Assessment : The substance is not considered to be carcinogenic.

11.7 Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:**Budesonide:**

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Formoterol fumarate dihydrate:

Reproductive toxicity - Assessment : Some embryofetal development effects in rats and rabbits at high doses.

11.8 STOT - single exposure

May cause damage to organs (Heart) if inhaled.

Components:**Budesonide:**

Exposure routes : Inhalation
 Remarks : May cause Candida infections and mild irritation in the throat, coughing and hoarseness.
 May cause effects as described under repeated exposure.(STOT)

Exposure routes : Dermal
 Remarks : May cause eruption-like acne.
 May cause effects as described under repeated exposure.(STOT)

Version 6.0 Revision Date: 26.03.2019 SDS Number: 20321 Date of last issue: 19.12.2018
Date of first issue: 29.08.2017

Formoterol fumarate dihydrate:

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Heart
Assessment : Causes damage to organs.

Exposure routes : Oral
Target Organs : Heart
Assessment : Causes damage to organs.

Remarks : These effects are derived from studies in animals.
Dust, if inhaled even in small amounts, can cause violent palpitation, trembling, headache and widening of the bronchii.
Rare cases of hypersensitivity reactions have been reported.

11.9 STOT - repeated exposure

Causes damage to organs (Adrenal gland) through prolonged or repeated exposure if inhaled.
May cause damage to organs (Heart) through prolonged or repeated exposure if inhaled.

Components:**Budesonide:**

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Adrenal gland
Assessment : Causes damage to organs through prolonged or repeated exposure.

Exposure routes : Oral
Target Organs : Adrenal gland
Assessment : Causes damage to organs through prolonged or repeated exposure.

Exposure routes : Dermal
Target Organs : Adrenal gland
Assessment : Causes damage to organs through prolonged or repeated exposure.

Remarks : Repeated exposure may produce oedema (water retention), high blood pressure, blurred vision, peptic ulcers, demineralization of bone, fatigue and suppression of adrenal gland function.

Formoterol fumarate dihydrate:

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Heart
Assessment : Causes damage to organs through prolonged or repeated exposure.

Exposure routes : Oral
Target Organs : Heart
Assessment : Causes damage to organs through prolonged or repeated exposure.

Remarks : Tachycardia and musculoskeletal and connective tissue disorders and muscle cramps have been reported.
Common side effects reported from patients include

Version 6.0 Revision Date: 26.03.2019 SDS Number: 20321 Date of last issue: 19.12.2018
Date of first issue: 29.08.2017

palpitations, headache and tremor.

11.10 Aspiration toxicity

Not classified based on available information.

Components:

Budesonide:

No data available

Formoterol fumarate dihydrate:

No information available.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.
Remarks: This environmental hazard assessment is based on information available on the components of the formulation.

Components:

Budesonide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13 mg/l
End point: mortality
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 14 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (green algae): > 7.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (green algae): 7.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0.000032 mg/l
End point: mortality
Exposure time: 28 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 3.4 mg/l
Exposure time: 21 d
Test Type: Reproduction Test
Method: OECD Test Guideline 211

SAFETY DATA SHEET



Version 6.0 Revision Date: 26.03.2019 SDS Number: 20321 Date of last issue: 19.12.2018
Date of first issue: 29.08.2017

M-Factor (Chronic aquatic toxicity) : 1,000

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Formoterol fumarate dihydrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 114 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 94 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201

Persistence and degradability

Components:

Budesonide:

Biodegradability : aerobic
Biodegradation: < 5 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Result: not rapidly degradable

BOD/ThOD : < 50 %

Formoterol fumarate dihydrate:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 20.5 %
Exposure time: 28 d

Bioaccumulative potential

Components:

Budesonide:

Bioaccumulation : Remarks: The substance has low potential for bioaccumulation.

Formoterol fumarate dihydrate:

Bioaccumulation : Remarks: The substance has low potential for bioaccumulation.

SAFETY DATA SHEET



Version 6.0 Revision Date: 26.03.2019 SDS Number: 20321 Date of last issue: 19.12.2018
Date of first issue: 29.08.2017

Mobility in soil

Components:

Budesonide:

Mobility : Remarks: Water solubility \geq 1 mg/l.

Distribution among environmental compartments : Remarks: No information available.

Formoterol fumarate dihydrate:

Mobility : Remarks: Water solubility \geq 1 mg/l.

Distribution among environmental compartments : Remarks: No information available.

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Disposal should be in accordance with local, state or national legislation.
Waste, even small quantities, should never be poured down drains, sewers or water courses.
Dispose of contents/ container to an approved incineration plant.

Contaminated packaging : Empty container will retain product residue. Observe all hazard precautions.

SECTION 14. TRANSPORT INFORMATION

ICAO/IATA

UN No. 3077
Proper Shipping Name : Environmentally hazardous substance, solid, n.o.s. (BUDESONIDE)
Class : 9
Packing Group : III
Environmental hazards : Environmentally hazardous

IMO/IMDG

UN No. 3077
Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BUDESONIDE)

SAFETY DATA SHEET



Version 6.0 Revision Date: 26.03.2019 SDS Number: 20321 Date of last issue: 19.12.2018
Date of first issue: 29.08.2017

Class : 9
Packing Group : III
Marine pollutant : Marine pollutant

ADR

UN No. : 3077
Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BUDESONIDE)
Class : 9
Label(s) : 9
Packing Group : III
Environmental hazards : Environmentally hazardous

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

In order to comply with legal duties it is necessary to consult local and national legislation.

Standard for the Uniform Scheduling of Medicines and Poisons : No poison schedule number allocated

Prohibition/Licensing Requirements : There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.

The components of this product are reported in the following inventories:

REACH : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.
Budesonide
Formoterol fumarate dihydrate

AICS : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA : Not On TSCA Inventory

Version	Revision Date:	SDS Number:	Date of last issue: 19.12.2018
6.0	26.03.2019	20321	Date of first issue: 29.08.2017

SECTION 16. OTHER INFORMATION**Further information**

Revision Date : 26.03.2019

Other information : New significant SHE information:
8. Respiratory protection
8. Skin protection
Minor changes:
11
12

Date format : dd.mm.yyyy

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; COM - In-house occupational exposure limit; CPR - Controlled Products Regulations; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HYG - Analytical method for occupational exposure monitoring; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; Sen - Capable of causing respiratory sensitization; Sk - Can be absorbed through skin, thus contributing to systemic effects; STEL - Short-term exposure limit 15-minutes time-weighted average; TLV - Threshold Limit Value (ACGIH); TLV-C - Threshold Limit Value Ceiling limit (ACGIH); TSCA - Toxic Substances Control Act (United States); TWA - Long-term exposure limit 8h time-weighted average; UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET



Version
6.0

Revision Date:
26.03.2019

SDS Number:
20321

Date of last issue: 19.12.2018
Date of first issue: 29.08.2017

AU / EN